

# A Structural Equation Modeling: An Alternate Technique in Predicting Medical Appointment Adherence

**Yeow Chye Ng, PhD, FNP-BC, NP-C, AAHIVE  
Assistant Professor**

27th International Nursing Research Congress,  
Cape Town, South Africa. July 21, 2016





I, Yeow Chye Ng have no relevant financial, professional, or personal relationships to disclose.

## Objectives:

1. The learner will be able to understand the principles behind causality.
2. The learner will be able to understand the basic steps to building a model of the phenomenon of interest.
3. The learner will be able to construct/interpret path diagrams
4. Understand the basic principles of how models are tested using SEM



# Introduction


- 1.2 million people are living with HIV in the US
- There are approximately 50,000 newly reported HIV-infected cases (each year)
- More than 16,000 people die with AIDS in the US (Death of persons with an AIDS diagnosis may be due to any cause)
- Life expectancy of HIV is longer due to advances in medication. However, this is only possible if patients adhere to their medication regimen.

(Centers for Disease Control and Prevention, 2012).

# Background



# Background



Markers for HIV disease progression



Social network



Distance to treatment facility



Health Insurance



Depression




Substance



Adherence

# Background



Markers for HIV disease progression



Social network



Distance to treatment facility




Health Insurance

Depression

Substance



Adherence



# Structural Equation Modeling

In this study, SEM was implemented to:

- (1) explore the relationships among the variables in the path models, and
- (2) determine the fit of the model with the data.

# An Overview of the SEM Process

## Specify a model with path diagram

Show with a path diagram how the variables are believed to be related

## Model variables identification

Test whether the variances and covariances fit the model that has been constructed.

## Run statistical tests, parameter estimates, and standard errors for the numerical coefficients in the linear equations

Maximum Likelihood Estimation (MLE)

## Using the reported statistics, decide if the model generated is a good fit to the data

The minimum fit function Chi-square


Goodness-of-Fit Index (GFI)

Comparative Fit Index (CFI)



Root Mean Square Error of Approximation Index (RMSEA)

## Model manipulation

Examine path coefficients to determine if it is good fit, with modification if needed. Determine if data findings support hypothesized relationships among variables.




Trimmed structural equation model predicting medical appointment adherence (standardized solution). All solid red lines represent significant effects ( $p < .05$ ); broken lines indicate proposed non-significant paths.



Latent variable   
 Observed variable 

# Findings



## A Causal Model



# Findings





## A Causal Model



# Findings



## A Causal Model




**Depression and distance to treatment facility were found to have direct positive effects on adherence to medical appointments.**


# Findings



## A Causal Model




**HIV disease progression had a direct negative effect on substance abuse.**




# Findings



## A Causal Model




**Social network had a positive direct effect on substance abuse**




# Findings



## A Causal Model




**Distance to treatment facility was found to have direct negative effects on substance abuse.**




# Findings



## A Causal Model




**Insurance was found to have direct negative effects on substance abuse.**




# Findings




## A Causal Model



Substance abuse was found to have a direct negative effect on adherence.



# Fit Measures of Baseline, Causal, and Trimmed Models



	$\chi^2$ (df)*	GFI*	AGFI	PGFI	RMR	RMSEA*	NFI	CFI*	PNFI	RFI
Baseline model	16.70(13) <sup>1</sup>	0.99	0.96	0.29	0.03	0.03	0.90	0.97	0.32	0.72
Full causal model	16.70(13) <sup>1</sup>	0.99	0.96	0.29	0.03	0.03	0.90	0.97	0.32	0.72
Trimmed model	22.31(21) <sup>2</sup>	0.99	0.97	0.46	0.04	0.01	0.86	0.99	0.50	0.76

*Notes:* AGFI = Adjusted Goodness-of-Fit Index; CFI = Comparative Fit Index; df = degree of freedom; GFI = Goodness-of-Fit Index; NFI = Normed Fit Index; PGFI = Parsimony Goodness-of-Fit Index; RFI = Relative Fit Index; RMR = Root Mean Residual; RMEA = Root Mean Square Error of Approximation.

<sup>1</sup> $p = 0.213$

<sup>2</sup> $p = 0.38$

\*Selected indices for the study

# Conclusion

- A path analysis structural equation modeling (SEM) was implemented to verify the causal model of the relationships among variables based on theory and empirical evidence. Relevant statistical testing such as chi-square fit index was implemented to determine if the proposed model should be accepted or rejected. In the event where a fit did not occur, modification of the path was conducted through model reduction and modification, an approach commonly called “theory trimming.”
- This presentation provides an overview of the SEM process to the reader(s). It also underscores the capability of utilizing structural equation path analysis in assessing the effects of multiple psychosocial factors with respect to their influence on medical appointment adherence.



**COLLEGE OF NURSING**  
THE UNIVERSITY OF ALABAMA IN HUNTSVILLE

Yeow Chye Ng

[YeowChye.Ng@uah.edu](mailto:YeowChye.Ng@uah.edu)

\* Reference available upon request

# Questions?

